

# **SYNERGY**

## **FAMILY**

---

**Weavers**  
**World**



Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.

## SPECIFICATIONS

|             |   |
|-------------|---|
| Application | Workplace, Education.<br>When FR Treated: Hospitality & Leisure |
| Composition | 95% Virgin Wool, 5 % Polyamide                                  |
| Width       | 140cm Minimum   |
| Mass        | 400gm <sup>2</sup> +/- 5%                                       |

---

|                        |      | STANDARD   | SYNERGY       |
|------------------------|------|--|---------------|
| Abrasion Resistance:   |      | 25 000 Rubs  | +100 000 Rubs |
| Colour Fastness:       |      |  |               |
| To Light               |      | 5  | 5             |
| To Rubbing             |      | 4  | 4             |
| Seam Slippage:         | Warp | 180N   | +180N         |
|                        | Weft | 180N   | +180N         |
| Tensile Strength:      | Warp | 400N   | +400N         |
|                        | Weft | 400N   | +400N         |
| Cleaning Instructions: |      | Vacuum Regularly. Professional dry clean or wipe clean with a damp cloth |               |

**NOTE:** Refer to SABS 726 - This specification calls for a minimum seam of 15mm and 4-5 stitches per cm.